

CLARIFICATION No.1

To: ALL potential bidders

Subject: Clarification No.1 for Procurement Exercise ‘Free Wi-Fi Service in Mauritius and Rodrigues’

1. Please note that the ICT Authority is hereby issuing the following **Clarification No.1** for the Procurement Exercise “***Free Wi-Fi Service in Mauritius and Rodrigues***”, Ref CPB/05/2021.
2. This Clarification No.1, follows the submissions of queries/requests from potential bidders.
3. Bidders are further informed that Q1, Q2, Q3, ... represent queries/requests received and R1, R2, R3, ... represent the reply of the Authority.

Q1	<i>We are requesting for a deadline extension as from 28 July 2021 for below reasons: * The significant number of surveys to be conducted across the island. This entails Wi-Fi coverage survey, structured cabling survey, access network reachability survey, among others. * Also, with the covid pandemic situation prevailing, the team has to ensure that all sanitary protocols are respected during the survey and will entail in lengthier survey exercise.</i>
R1	The closing date for submission of bids has been postponed to 08 September 2021 up to 13.30 hours (local time) at latest as per Addendum No 1.
Q2	<i>Grateful to share the word document version of the bidding document Ref CPB/05/2021 (Procurement of Free Wi-Fi Service in Mauritius and Rodrigues)</i>
R2	The word version is already available on the website: http://publicprocurement.govmu.org/pages/procurementdetails.aspx?pid=6358
Q3	<i>Are the number of concurrent users (100, 150, 200) per access point or per site? For example, if a site (earmarked for 200 users) requires 2 AP to cover the required perimeter, does it mean that we need to cater for 400 concurrent users?</i>
R3	As per Section VI, sub-section 3.3. (2) of the bidding document, the number of concurrent users are per access point.
Q4	<i>What is the estimated number of Wi-Fi users per site?</i>
R4	As per Section VI, sub-section 3.3. (2) of the bidding document, the number of concurrent users are per access point.
Q5	<i>Referring to the tender document Pg 41, point 8, bidder is required to submit a heatmap post commissioning of site. In order to do so, we would require the site plan in any of the below format. Kindly confirm if you will share the plan in: * Autocad (.dwg), * Image (.jpeg or .png), * PDF (.pdf)</i>

R5	Some submitted site plans are available in the bidding document. It is the responsibility of the bidder to build its own site plan, based on the survey that will be carried out.
Q6	<i>Can we use existing facilities (existing Data Cabinet, Pole, Power supply) to provide the Wi-Fi service? For example, if a site requires only 1 U space, do we need to cater for a dedicated data cabinet?</i>
R6	The requested service is meant to be a turnkey solution. Bidders are expected to provide all relevant infrastructures to provide the free Wi-Fi service.
Q7	<i>Is the bidder expected to conduct electrical work to power the active equipment? For example - Installation of electrical power/socket point from main system to active equipment.</i>
R7	Electrical power supply will be provided by the responsible authority for each site. However, bidders are expected to inform the responsible person at each site on the number of power points required for the proposed system.
Q8	<i>Will the ICTA consider paying a once-off cost for the setting up of the cabling and associated infrastructure for this project?</i>
R8	Bidders will have to submit their pricing as per Annex D Priced Activity Schedule of the bidding document. The price should include all relevant costs to provide the free Wi-Fi service.
Q9	<i>Grateful to extend the deadline for the queries submission till 17 July 2021 for below reason: * Our survey exercise is in progress and there are queries which are being generated in this activity. In many cases the contact person mentioned in the document do not have the answers to the queries. For example - query on existing facilities, coverage areas, etc..)</i>
R9	The deadline for submission of queries has been postponed to 26 August 2021 as per Addendum No 2.
Q10	<i>For certain sites like Pamplemousses, the sites are closely regulated in terms of what infrastructure can be installed and where it should be installed. Example installation of a telecom pole or trenching work to bring connectivity to the requested location. In these cases, we are assuming ICTA or the concerned Ministry will seek approval from all concerned authorities so that we can provision the Wi-Fi service. Kindly confirm in our assumption is correct as this has an impact the proposed solution.</i>
R10	Bidders are informed that all relevant authorities, ministries, departments have been duly contacted to assist bidders at all times during the course of this procurement exercise, including at implementation stage. All approvals will duly be provided by the responsible authorities / ministries / departments, since the sites provided in the bidding documents are sites that have been submitted by the above stated institutions, for provision of free Wi-Fi service as per Annex A of the bidding document. Bidders are further informed to refer to Annex I of the Clarification No.1, whereby an updated list of contact details have been submitted by the different stakeholders.
Q11	<i>Based on the ongoing survey exercise being conducted, we have noted below: *The officer in charge/contact person mentioned in the tender document no longer works in the concerned site. The new officer in charge do not have a clear idea on coverage area. *Some of the site info/plan provided in the tender document is not up to date.</i>
R11	Bidders are informed that all relevant authorities, ministries, departments have been duly contacted to assist bidders at all times during the course of this procurement exercise, including at implementation stage. All approvals will duly be provided by the responsible authorities / ministries / departments, since the sites provided in the bidding documents are sites that have been submitted by the above stated institutions, for provision of free Wi-Fi service as per Annex A of the bidding document. Bidders are further informed to refer to Annex I of the Clarification No.1, whereby an updated list of contact details have been submitted by the different stakeholders. Some submitted site plans are available in the bidding document. It is the responsibility of the bidder to build its own site plan, based on the survey that will be carried out.

Q12	<i>While we are compiling all the discrepancies, grateful if you can consider following requests: *To provide us with updated site plans and coverage areas. *Provide us the updated contacts.</i>
R12	Bidders are informed that all relevant authorities, ministries, departments have been duly contacted to assist bidders at all times during the course of this procurement exercise, including at implementation stage. All approvals will duly be provided by the responsible authorities / ministries / departments, since the sites provided in the bidding documents are sites that have been submitted by the above stated institutions, for provision of free Wi-Fi service as per Annex A of the bidding document. Bidders are further informed to refer to Annex I of the Clarification No.1, whereby an updated list of contact details have been submitted by the different stakeholders. Some submitted site plans are available in the bidding document. It is the responsibility of the bidder to build its own site plan, based on the survey that will be carried out.
Q13	<i>We will also reiterate our request to extend: *the query submission deadline by 2 weeks as from 5 July 2021 *tender response submission by 4 weeks as from 28 July 2021.</i>
R13	The closing date for submission of bids has been postponed to 08 September 2021 up to 13.30 hours (local time) at latest as per Addendum No 1. The deadline for submission of queries has been postponed to 26 August 2021 as per Addendum No 2.
Q14	<i>Due to the large number of sites involved in the project we have estimated that a minimum extension of 60 Days on the deadline for submission will be required. From 28th July 2021 to 28th September 2021. This will allow for proper survey to be conducted and accurate BOQ to be raised.</i>
R14	The closing date for submission of bids has been postponed to 08 September 2021 up to 13.30 hours (local time) at latest as per Addendum No 1.
Q15	<i>Can the implementation timeline of 5 months be extended to 8 months? This is mainly due to the global challenge from vendors for equipment delivery through international freight.</i>
R15	The implementation time frame is being maintained.
Q16	<i>Contacts: An initial sample survey call was done last week. Out of a sample of 10 calls to the contacts mentioned in the bid document - none of them are aware of the project and 7 out of 10 contacts no longer work on those sites. Some physical surveys have been conducted and access denied to our contractors in Hospitals. None of the contacts at the site surveyed are aware of the project.</i>
R16	Bidders are informed that all relevant authorities, ministries, departments have been duly contacted to assist bidders at all times during the course of this procurement exercise, including at implementation stage. All approvals will duly be provided by the responsible authorities / ministries / departments, since the sites provided in the bidding documents are sites that have been submitted by the above stated institutions, for provision of free Wi-Fi service as per Annex A of the bidding document. Bidders are further informed to refer to Annex I of the Clarification No.1, whereby an updated list of contact details have been submitted by the different stakeholders. Some submitted site plans are available in the bidding document. It is the responsibility of the bidder to build its own site plan, based on the survey that will be carried out.
Q17	<i>Please confirm that the ICTA/local authorities will provide for the necessary power and works, to ensure all equipment are properly powered at the data cabinet. Are the data cabinet provided on site or should same be quoted for?</i>

R17	The requested service is meant to be a turnkey solution. Bidders are expected to provide all relevant infrastructures to provide the free Wi-Fi service. Electrical power supply will be provided by the responsible authority for each site. However, bidders are expected to inform the responsible person at each site on the number of power points required for the proposed system.
Q18	<i>Will access be granted on all sites due to Covid-19 [Red zones, hospitals, etc..]. Is there any specific protocol to be respected? In case access is not granted, what would be the way forward?</i>
R18	Bidders are informed that all relevant authorities, ministries, departments have been duly contacted to assist bidders at all times during the course of this procurement exercise, including at implementation stage. All approvals will duly be provided by the responsible authorities / ministries / departments, since the sites provided in the bidding documents are sites that have been submitted by the above stated institutions, for provision of free Wi-Fi service as per Annex A of the bidding document. Bidders are further informed to refer to Annex I of the Clarification No.1, whereby an updated list of contact details have been submitted by the different stakeholders. Some submitted site plans are available in the bidding document. It is the responsibility of the bidder to build its own site plan, based on the survey that will be carried out.
Q19	<i>Section 3.3 (11): Usual wear & tear and required upgrades shall be replaced without any additional cost. Will the ICTA bear the cost of third-party damages or loss of equipment on sites? Or should a contingency charge be considered for replacement of damaged equipment at the initial stage of bidding?</i>
R19	Bidders shall refer to Section VI Scope of Services and Performance Specifications Sub-section 3.3 No. 11: The successful bidder(s) shall be the sole responsible party for the installation, operation, maintenance, upgrade and replacement of ALL equipment and related works and costs in the provision of the Free Wi-Fi service as per industry best practices at no additional cost to the total price proposal.
Q20	<i>Exact floor plan of each site is required in order to provide heat maps. Can the ICTA provide same for the sites?</i>
R20	Some submitted site plans are available in the bidding document. It is the responsibility of the bidder to build its own site plan, based on the survey that will be carried out.
Q21	<i>Can the WIFI controller be hosted on a cloud outside of Mauritius?</i>
R21	No, all hosting shall be within the jurisdiction of the Republic of Mauritius.
Q22	<i>In case multiple vendors are selected to deliver on a per region basis, how will the user management happen? Multi-vendor solutions will not be able to manage the 2 hours user limit moving to multiple sites and users will need to re-authenticate each time</i>
R22	Bidders should propose solutions that minimise the need to re-authenticate.
Q23	<i>Can GPS coordinates be provided for these sites?</i>
R23	Bidders can obtain the GPS coordinates during the site survey.
Q24	<i>Kindly provide more details/explanations with respect to section 3(a) and 3 (b) [Regarding 80%/20% requirements]</i>
R24	Bidders shall refer to Section VI Scope of Services & Performance Specification under sub-section 3.3 (3) (a) and (b) Statement of Work.
Q25	<i>What should be the retention period with respect to the logs on the WiFi system?</i>
R25	This will be subject to the vendor solution. However, the Authority expects the logs on the Wi-Fi system be available for a minimum of 1 year.

Q26	<i>Kindly clarify on the waiting areas since there are multiple ones in hospitals.</i>
R26	Bidders are expected to undertake the surveys, meet with the provided contact persons (refer to Annex A of the bidding document) who may provide additional information and propose their relevant design/solution as part of the bidding process. However, bidders shall be solely responsible for the ultimate proposed solution/design and should take into consideration restricted Wi-Fi zones such as operational theatres among others.
Q27	<i>Is there any plan for the ICTA to provide a paid internet beyond the 2 Hours period? Should same be catered in the response?</i>
R27	One of the objectives of the project is to provide Free Wi-Fi Service which will be limited to 2 hours per user over a period of 24 hours only. The bidder shall not use the system put in place to offer any other service outside the scope of this project.
Q28	<i>Should the log also cater customer header traffic tied to the mobile number accessing the WiFi service?</i>
R28	The technology proposed should be in line with the Data Protection Act and its regulations and should ensure they do not threaten user privacy
Q29	<i>Please confirm the Estimated Budget for the proposed procurement.</i>
R29	Bidders are informed that this is a competitive bidding exercise and the Authority cannot provide the estimated budget.
Q30	<i>As per Annex B, No.3, "The proposed Wi-Fi system should be able to support a minimum of 100/150/200 concurrent users per access point." We noted that at several locations, there is a need to need to deploy 2 or more access points to meet the coverage requirement. Please confirm whether the given capacity requirement of 100/150/200 concurrent users shall be per LOCATION (or) per ACCESS POINT?</i>
R30	As per Section VI, sub-section 3.3. (2) of the bidding document, the number of concurrent users are per access point.
Q31	<i>As per Annex B, No.3, "WAP should support dual band Wi-Fi IEEE 802.11 a/b/g/n/ac (2.4 GHz and 5 GHz)." Wi-Fi 6 protocol 802.11 ax is the main standard of wireless device now. Wi-Fi 6 will solve the Wi-Fi 5 802.11 ac main problem, such as network not stable enough, insufficient bandwidth, long delay leads to poor user experience. Considering the next five years network requirement, the authority may consider to include the specifications for Wi-Fi 6 802.11 ax.</i>
R31	The proposal of the bidder should be equivalent or better to the required specifications.
Q32	<i>Considering the scope of work involved, we request the Authority to extend the bid submission date by additional 2 weeks</i>
R32	The closing date for submission of bids has been postponed to 08 September 2021 up to 13.30 hours (local time) at latest as per Addendum No 1.
Q33	<i>With reference to the above-mentioned project, could you please provide the GPS coordinates for all sites</i>
R33	Bidders can obtain the GPS coordinates during the site survey.

4. Bidders are also reminded that any additional query/requests, shall, in accordance with Addendum No.2, be submitted by 26 August 2021, at latest, after which no further query/requests will be entertained.

Officer in Charge
ICT Authority

Updated list of contact details for R10:

➤ Ministry of Health and Wellness

▪ Flacq

WiFi Location	Address	Name of responsible officer	Center phone	Mobile number of responsible officer
Dr Bruno Cheong Hospital	Flacq	Mr. A. Panchoo	4022400	52506397
Belvedere Medi-clinic	Belvedere	Mr Pertaub	4180999	57876595
Bel Air Area Health Centre	Bel Air Riviere Seche	Mrs. Gokhul	4192812	58011990
Bramsthan Area Health Centre	Bramsthan	Mr. E Hossenboccus	4133291	57680380
Flacq Area Health Centre	Flacq	Mrs T. Rubee	4135819	57092893
Ville Bague Community Health Centre	Ville Bague	Mr. S. Balgobin	4184491	59161042
St Julien Village Community Health Centre	St Julien Village	Assen	4181877	59642786
Camp de Masque Dr Saxena CHC	Camp de Masque	Mr Kauroo	4165533	58345148
Quatre Soeurs Community Health Centre	Quatre Soeur	Mr. A. Mayaram	4175582	59391068
St Julien d'Hotman CHC	St Julien D'Hotman	Mr Kinnoo	4165793	59166201
Olivia Community Health Centre	Olivia	Mr Calis	4194489	57021947
Camp de Masque Pave CHC	Camp de Masque Pave	Mr Mangla	4160571	57057121
Camp Ithier Community Health Centre	Camp Ithier	MrSumtally	4132006	58272478
Lesur Sebastopol Community Health Centre	Lasser, Sebastopol	Mr Pertaub	4375189	59445537
Trou D'eau Douce Community Health Centre	Trou D'Eau Douce	Mr Desigan	59043009	57941126
Quatre Cocos Community Health Centre	Quatre Coco	Mr Sookara	4151046	59269580
Laventure Community Health Centre	Laventure	Mr A.K Boodhoo	4185543	58277117
Ecroignard Community Health Centre	Ecroignard	Mrs Meetun	4193298	57668338
Bon Accueil Community Health Centre	Bon Accueil	Mrs Ramkissoon	4180075	57801792
Poste de Flacq Community Health Centre	Poste De Flacq	Mr Maudarbaccus	4133297	57603050
Lallmatie CHC	Lallmatie	Mrs Mewa	4184202	57637713
Mare la Chaux CHC	Mare La Chaux	Mr Meetooa	4151045	59881297
Medine CHC	Medine Camp de Masque	Mr Boyjonauth	4165937	57914810
Melrose CHC	Melrose	Mr Beejah	4374645	57063618
Pellegrin CHC	Pellegrin Sebastopol	Mr Peertaub	4375760	59445537

▪ **Grand Port**

WiFi Location	Address	Name of responsible officer	Center phone	Mobile number of responsible officer
Jawaharall Nehru Hospital	Rose Belle	Mrs Chackoree	6037000	52581130
Mahebourg Hospital	Mahebourg	Mrs Chackoree	6037000	52581130
Mahebourg area Health Centre	Mahebourg	Mr Polin	6319556	52543538
Rose Belle Area Health Centre	Rose Belle	Mrs Auckloo	6270590	-
Mare Tabac CHC	Mare Tabac	Mr Jhurry	6277646	57977884
Riviere des Creoles CHC	Riviere des Creoles	Mr Nundoo	6318702	-
St Hubert CHC	St Hubert	Mr Dewan	6335102	-
Mare D'Albert CHC	Mare D'Albert	Mr Bodloo	6270682	59130799
Nouvelle France CHC	Nouvelle France	Mr Deijoo	6778003	-
Trois Boutiques CHC	Trois Boutiques	Mr Currooah	6373206	-
Plaine Magnien CHC	Plaine Magnien	Mr Fevret	6373059	-
New Grove CHC	New Grove	Mr Ramkissoon	6277117	-
Old Grand Port CHC	Old Grand Port	Mr Babooa	6345247	-

▪ **Moka**

WiFi Location	Address	Name of responsible officer	Center phone	Mobile number of responsible officer
Subramanya Bharati Eye Centre Hospital	Moka	Mrs Surdha	4334206	-
Quartier Militaire Area Health Centre	Quartier Militaire	Mrs S. Gooransing	4355580	57872528
Dr Quenum St Pierre AHC	St. Pierre	Mrs S.Mohamad Hussein	4133913	57854291
Montagne Blanche Dr Malher AHC	Mte Blanche	Mr R. Fakun	4375153	57524478
L'Avenir Community CHC	St. Pierre	Mrs. N. Mamodehossen	4138142	57087078
Dubreuil Community Health Centre	Dubreuil	Mr A.K Ramsahye	6655187	-
Providence Community Health Centre	Providence	Mr Mahamoodally	4357085	59334184
Dagotiere Community Health Centre	Dagotiere	Mr Mulloo	4330374	59124693
Belle Mare CHC	Belle Mare	Mrs Homet	4151047	58463398
Caroline CHC	Caroline	Mr Koladoo	4193290	59713656
Clemencia CHC	Clemencia	Mr Panchoo	4194890	57872301
Grand Sable CHC	Grand Sable	Mr Bissesar	4175243	59387341
GRSE CHC	GRSE	Mr Tagaully	4176348	57632386
La Lucie Roy CHC	La Lucie Roy	Mr Ramsurrun	4193134	57932408

▪ **Pamplemousses**

WiFi Location	Address	Name of responsible officer	Center phone	Mobile number of responsible officer
Sir Seewoosagur Ramgoolam National Hospital	Powder Mills, Pamplemousses	Mr Gooly	2093400	52506398
Long Mountain Hospital	Long Mountain	Mrs. Bunhojee	2092030	59767244
Triolet Medi Clinic	Triolet	Mr. Luchmun	2611886	57610045
Creve Coeur Community Health Centre	Creve Coeur	Mrs. Manikaran	2453445	58140556
Callebasses Community Health Centre	Callebasses	Mr. Beerbul	2433561	57840497
Fond du Sac - Shri Ram Community Health Centre	Fond du Sac	Mr. Ramjann	2666016	59178651
D'Epinay Community Health Centre	D'Epinay	Mr. Prayag	2433601	52570131
Plaines des Papayes Community Health Centre	Plaines des Papayes	Mr. Seebundhun	2669868	57754012
Pointe aux Piments Community Health Centre	Pointe aux Piments	Mr. Dhurmun	2615689	57545428
Pamplemousses Community Health Centre	Pamplemousses	Mr Jhurry	2433547	58136863
Terre Rouge Community Health Centre	Terre Rouge	Mr Seeram	2493309	59451130
Baie du Tombeau Community Health Centre	Baie du Tombeau	Mr Doorbeejun	2360658	58046649
Le Hochet - Mrs K Patel Community Health Centre	Royal Rd, Le Hochet	Mr. A. Mathurah	2488159	57663995

▪ **Plaines Wilhems**

WiFi Location	Address	Name of responsible officer	Center phone	Mobile number of responsible officer
Brown Sequard Mental Health Care Centre Hospital	Beau Bassin	Mr Gokhool	4021400	52558795
Victoria Hospital	Candos	Mr Bhowany	4020800	59425993
Lady Twining Beau Bassin Area Health Centre	Beau Bassin	Mr. Alcide	4541743	57882886
Castel Area Health Centre	Constantin Lane, Castel	Mr. C. Atmaram	6962087	59161746
Curepipe Road Area Health Centre	Rue Cosnigny Curepipe Rd	Mr C. Nurjundooa	6963325	57165579
La Caverne Vacoas Area Health Centre	La Caverne	Mr Y. Wahedally	6964205	-
Quatre Bornes Area Health Centre	Rue Henessy, Q. Bornes	Mr. D. Hauradhun	4543750	-
Rose Hill Area Health Centre	Old Moka Rd, Rose Hill	Mr. g. Ramdhun	4541937	-
Midlands Community Health Centre	Dispensary Rd, Midlands	Mr. Bahadoor M.	6645564	57549025
Bassin Community Health Centre	Bassin Rd	Mr. M.Z Ollite	4273748	-
Beau Bassin Odette Leal Community Health Centre	Beau Bassin	Mr. M. K. Nosil	4647128	59247288
Coromandel Community Health Centre	Coromandel	Mrs. S. Mahamudally	2334835	57080770

Floreal Medi Clinic	Rte Royale, Floreal	Mr. Rhaday	6600179	-
Forest Side Community Health Centre	Royal Rd, Forest Side	Mr. V. Garoosun	6742647	57827630
Glen Park Community Health Centre	Glen Park, La Croisee	Mr. S.I Raheemeea	6841157	-
Hollyrood Community Health Centre	Hollyrood No. 1	Mr. K. Sookrajowa	6842184	-
Palma Shri R Jugnauth Community Health Centre	La Rue La Seringue, Palma	Mr. F.Gaspard	4248250	57022373
Pandit Sahadeo Vacoas Community Health Centre	La Louise Lane, Vacoas	Mr. Bundhoo A.	6977931	57812155
Phoenix Community Health Centre	Phoenix	Mr. M.Soobany	6061851	57775515
S S R - Ollier Community Health Centre	Ave Othen, Q. Bornes	Mr. S.Choony	4257566	-
Vacoas - Club Rd Area Health Centre	Rte Du Club, Vacoas	Mr. R. Ghoorah	6972073	-
Wootun Community Health Centre	Wootun, Impasse Cailloux	Jeetun P. Takoor	6748357	-

▪ **Port Louis**

WiFi Location	Address	Name of responsible officer	Center phone	Mobile number of responsible officer
Dr A G Jeetoo Hospital	Volcy Pougnet St, Port Louis	Ms Lautan	2031001	59443272
Medi-Clinic (Mamoodkhan Hyderkhan)	Nylon St., Plaine Verte	Mr. Ajeda	2160065	59182361
Pailles Community Health Centre	School lane, Pailles	Mr. Hansmuddy	2867686	57860720
Vallee Des Pretres Community Health Centre	Royal Rd, Vallee des Pretres	Mr. Soodhun	2414533	58086344
Vallee Pitot Community Health Centre	Royal Rd, Vallee Pitot	Mr. Khodabaccus	2415438	57444777
Dr Bouloux Cassis Area Health Centre	Abercrombie St, B. des Dames, Cassis	Mrs. Kureemun	2120811	57681569

▪ **Riviere du Rempart**

WiFi Location	Address	Name of responsible officer	Center phone	Mobile number of responsible officer
Poudre D'Or Hospital	Poudre D'Or	Mr Gooly	2833100	52506398
Poudre D'Or CHC	Poudre D'Or	Mr. Lukhoo	2839253	57734389
Goodlands Medi-Clinic	Goodlands	Mr. Langur	2832259	59123475
Riviere du Rempart AHC	Riviere du Rempart	Mrs. Toofany	4127519	57633120
Arsenal CHC	Arsenal	Mr. Manikon	2493643	57703045
Amaury CHC	Amaury	Mr. Cadarsaib	4128169	57993003
Plaines des Roches CHC	Plaines des Roches	Mr. Jugessur	4128774	52592908
Cottage CHC	Cottage	Mr. Ram	2661261	57828692
Belle Vue Maurel CHC	Belle Vue Maurel	Mr Allyboccus	4127592	57394451
Piton CHC	Piton	Mr. Dhurun	2641732	57573183
Cap Malheureux - P Selwyn CHC	Cap Malheureux	Mr. Rungeet	2626336	57116884

Roches Noires CHC	Roches Noires	Mr. Barthoobarah	4115120	57998579
Grand Gaube CHC	Grand Gaube	Mr. Chengee	2887218	57833578
Petit Raffray CHC	Petit Raffray	Mr. Ramgoolam	2838006	59222854
Grand Bay CHC	Grand Bay	Mr. Joomun	2638041	57918547
L'esperance Trebuchet CHC	L'esperance Trebuchet	Mr. Santuck	2641704	59030061

▪ **Savanne**

WiFi Location	Address	Name of responsible officer	Center phone	Mobile number of responsible officer
Souillac Hospital	Souillac	Mrs Chackoree	6037100	52581130
L'escalier Medi-clinic	L'Escalier	Mrs. Rocves	6338571	57981610
Chemin Grenier Area Health Centre	Chemin Grenier	Mr Keenoo	6226544	-
Tyack Area Health Centre	Tyack	Elauhee R.	6262556	59031993
Baie du Cap Community Health Centre	Baie du Cap	Mr Boojawon	6225449	-
Chamouny (Pr Cerene) Community Health Centre	Chamouny	Bungari V.	6227269	57165668
Camp Diable Community Health Centre	Camp Diable	Mr Maudarbaccus	6261650	-
Grand Bois Community Health Centre	Grand Bois	Toofanee Sanjeev	6175001	57512569

➤ **Ministry of Land Transport and Light Rail**

WiFi Location	Address	Name of responsible officer	Center phone	Mobile number of responsible officer
Piton Traffic Centre	Piton	Mr N. Boodhoo	-	59289782

➤ **Ministry of Agro Industry & Food Security**

WiFi Location	Address	Name of responsible officer	Center phone	Mobile number of responsible officer
Black River Gorges National Park (Entrance point)	Black River	Mr K. Ruhoman	4644053/ 4662116	52511195
Bras d'Eau National Park	Bras d'Eau			
Pamplemousses Botanical Garden - Parking Area	Pamplemousses			
Le Val Endemic Garden	Le Val			

➤ **Ministry of Arts & Cultural Heritage**

WiFi Location	Address	Name of responsible officer	Center phone	Mobile number of responsible officer
Apravasi Ghat Trust Fund	Port Louis	Mr R. Kalutay	2122112	57852383
National History Museum, Port Louis	Port Louis	Mr. N. Badoorally	2101268	57985759
National History Museum, Mahebourg	Mahebourg	Mr. B. Khaidu	6319329	57545162